DCI CNC NM V3-N66-97

Secret

(b)(1) (b)(3) 1/22- Lies

APPROVED FOR RELEASE DATE: APR 2002

.. AI II 2002

DCI Crime and Narcotics Center

## The Narcotics Monitor

Volume3, Number 66	18. July 1997 - ;
Table of Content	ts
Latin America	1
Colombia: Eradication Update	
A	2
Asia	2
In Brief	4
	7

Segret	

## **Latin America**

## Colombia

Eradication Update Late last month, Colombia's Council for Dangerous Drugs formally approved a pilot program for use of the granular herbicide tebuthiuron in the eradication of coca. If tebuthiuron is accepted for use and incorporated into the aerial spray program, it could greatly increase the pace of successful eradication; however, many of the same socioeconomic and political challenges confronting the eradication program today will remain even if a granular herbicide is adopted. In addition, the producer of tebuthiuron has indicated that it will refuse to sell the herbicide for purposes of coca eradication.

While testing protocols still need to be designed and approved, tests previously conducted by the US Department of Agriculture (USDA) in Peru and Panama found that application of 4 pounds per acre of granular tebuthiuron is a more efficient killer of coca than the currently used herbicide, glyphosate, and is also environmentally safe if correctly applied. The use of a more capable granular herbicide would also reduce the washout problems associated with glyphosate.

•	Although the pace of eradication in 1997 has continued at high
	levels, poor weather hampered spray attempts in June, according
	to the US Embassy. Pilot reporting also indicates that poor
	weather reduced spray efforts in May and to a lesser extent in
	March and April,

There are potential problems associated with the use of the granular herbicide that suggest program planners would need to ensure that the applications are precise and that coca fields do not receive multiple doses. Unlike glyphosate, the granular herbicide does not quickly break down and become inert, posing a potential for residual effects.

· · · · · · · · · · · · · · · · · · ·	he use of
impact, or health problems resulting from t	•
tebuthiuron—however minimal or unintent	ional—could
prompt a backlash of anti-American sentim	ent in Colombia
and possibly throughout the region.	

<sup>&</sup>lt;sup>1</sup> Glyphosate, more commonly known by its trade name Round-up, is a water-soluble compound. According to USDA research, glyphosate is consistently effective only under near-ideal conditions; rainfall or the use of sprinkler irrigation within 48 hours after application and manual defoliation or the rapid harvesting of leaves will significantly reduce glyphosate's effectiveness.



Regional market forces, the economic realities of the coca industry, lack of government control over coca-growing areas, and the tenuous security situation—significant problems that plague the eradication program today—will still be present even if a granular herbicide is adopted.

For example, spraying out of Larandia, Caqueta—put on hold during the hostage negotiations between the Colombian Government and the Revolutionary Armed Forces of Colombia and then further delayed for security reasons—finally began in mid-July; however, spray aircraft received heavy ground fire,
Asia

•		
•		

15 July 1997		Secret	
	In Brief		
			,

4

Secret